

FuelTech

Thermocouple Exposed Tip

#5005100335 - 5005100340

Thermocouple Exposed Tip

Used to monitor exhaust gas temperature.

Compatible with the following EGT Conditioners: EGT-8 CAN / ETM-1

Available in the following lengths: 18" / 24" / 30" / 36" / 42" / 48"


Includes weld-in bung for installation.

***If using other brand EGT bungs you may need to swap installed ferrule with the extra ferrule.**

Sensor Type	<i>Type K (Chromel / Alumel) Inconel 600</i>
Temperature Range	<i>32°F ~ 2200°F</i>
Sensor O.D.	<i>.250" (1/4") Diameter</i>
Junction Type	<i>Exposed (.045" - .060" Bead Width .095" - .110" Weld height)</i>
Bend	<i>90°</i>
"A" Dimensions	<i>2 - 3/4"</i>
"AA" Dimension	<i>1 - 3/8"</i>
Wire	<i>Teflon™ with Stainless Steel Overbraid</i>
Wire Lengths	<i>18" / 24" / 30" / 36" / 42" / 48"</i>
Hardware	<i>Weld Bung Compression Fitting</i>
Terminal	<i>Mini-Connector</i>



SST COMPRESSION WELD BUNG
ASSEMBLY AND BRASS FERRULE



FuelTech

455 Willbanks Dr.

Ball Ground, GA 30107

678-493-3835

www.fueltech.net